XML Element	Attributes	Description	Data Element	Valid Values	Data Types	Field Size	Data Required (MassHealth)
	he beginning of each XMI	L file as follows:					
:?xml version="1.0" encod	ding="UTF-8" ?>						
submission>	Opening tag is required.						
	type	Describes the setting for which data is being submitted.	N/A	HOSPITAL	Character	20	Yes
	data	Describes the type of data being submitted.	N/A	CLINICAL	Character	20	Yes
	version	The version of the file layout.	N/A	3.0	Character	1	Yes
	action-code	Describes the intended action of the file being submitted.	N/A	ADD	Character	20	Yes
cfile-audit-data> cub-element of the cubmission data element	data	Note: This tag and the entire <file-audit-data> section are optional in the XM</file-audit-data>	L document. If submitted	, this tag contains no data. Required	d if sub-elements	are included.	
<pre><create-date> sub-element of the file audit data element</create-date></pre>		a closing tag that is the same as the opening tag but with a forward slash. ate-date>05-10-2007					
	None	The month, day, and year the XML file was created	N/A	MM-DD-YYYY	Date	10	Yes
				(Must be a valid date)			
<pre><create-time> sub-element of the file audit data element</create-time></pre>	Example with data: 						

	Attributes	Description	Data Element	Valid Values	Data Types	Field Size	Data Required (MassHealth)
<pre><pre><pre><pre><pre><pre>sub-element of the submission element</pre></pre></pre></pre></pre></pre>	Each element must have Example with data: <pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	a closing tag that is the same as the opening tag but with a forward slash.		,			(
	None	Used to identify the provider. This will be either a valid 6-digit Medicare or 10-digit Medicaid provider ID.	Provider ID	Valid 6 or 10 digit ID	Character	10	Yes (Conditionally)
<npi> sub-element of the provider element</npi>	Each element must have Example with data: <npi>1234567890</npi>	a closing tag that is the same as the opening tag but with a forward slash.	1		1	ı	
	None	National Provider Identifier as assigned by CMS Please Note: If the <provider-id> value is NOT provided then a valid <npi>number is REQUIRED.</npi></provider-id>	National Provider Identifier (NPI)	Valid 10 digit NPI Number	Character	10	Yes (Conditionally)
<hcold> sub-element of the provider element</hcold>	Each element must have Example with data: <hcoid>123456</hcoid>	a closing tag that is the same as the opening tag but with a forward slash.					
	None	Used to identify the healthcare organization	Health Care Organization Identifier	See ORYX Technical Implementation Guide	See ORYX Technical Implementatio n Guide	See ORYX Technical Implementat ion Guide	No
<pre><patient> sub-element of the provider element</patient></pre>	Opening tag for patient	Note: This tag is required in the XML document. However, it contains no data	l.				
<pre><first-name> sub-element of the patient element</first-name></pre>		a closing tag that is the same as the opening tag but with a forward slash. name>					
	None	The patient's first name	First Name	Patient's First Name	Character	30	Yes
<last-name></last-name>	Each element must have	a closing tag that is the same as the opening tag but with a forward slash.	•		•		
· ·	Example with data: <last-name>Doe<td></td><td></td><td></td><td></td><td></td><td></td></last-name>						
· ·	•		Last Name	Patient's Last Name	Character	60	Yes
element 	<a hre<="" td=""><td>The patient's last name a closing tag that is the same as the opening tag but with a forward slash.</td><td>Last Name</td><td>Patient's Last Name</td><td>Character</td><td>60</td><td>Yes</td>	The patient's last name a closing tag that is the same as the opening tag but with a forward slash.	Last Name	Patient's Last Name	Character	60	Yes
element <br< td=""><td><a hre<="" td=""><td>The patient's last name a closing tag that is the same as the opening tag but with a forward slash.</td><td>Last Name Birthdate</td><td>Patient's Last Name MM-DD-YYYY (Must be a valid birthdate and cannot equal UTD)</td><td>Character</td><td>l</td><td>Yes</td></td></br<>	<a hre<="" td=""><td>The patient's last name a closing tag that is the same as the opening tag but with a forward slash.</td><td>Last Name Birthdate</td><td>Patient's Last Name MM-DD-YYYY (Must be a valid birthdate and cannot equal UTD)</td><td>Character</td><td>l</td><td>Yes</td>	The patient's last name a closing tag that is the same as the opening tag but with a forward slash.	Last Name Birthdate	Patient's Last Name MM-DD-YYYY (Must be a valid birthdate and cannot equal UTD)	Character	l	Yes
 	<pre><last-name>Doe None</last-name></pre> <pre>None</pre> Each element must have	The patient's last name a closing tag that is the same as the opening tag but with a forward slash. /birthdate>		MM-DD-YYYY (Must be a valid birthdate and		l	
sub-element of the patient element	<pre></pre>	The patient's last name a closing tag that is the same as the opening tag but with a forward slash. /birthdate> The month, day, and year the patient was born		MM-DD-YYYY (Must be a valid birthdate and		10	
<pre>clement clement sub-element of the patient element <sex> sub-element of the patient </sex></pre>	<pre><last-name>Doe08-06-1964</last-name></pre> None Each element must have Example with data: <sex>M</sex> None	The patient's last name a closing tag that is the same as the opening tag but with a forward slash. /birthdate> The month, day, and year the patient was born a closing tag that is the same as the opening tag but with a forward slash.	Birthdate	MM-DD-YYYY (Must be a valid birthdate and cannot equal UTD)	Date	10	Yes

XML Element	Attributes	Description	Data Element	Valid Values	Data Types	Field Size	Data Required (MassHealth)
<ethnic> sub-element of the patient element</ethnic>		a closing tag that is the same as the opening tag but with a forward slash.					, ,
	None	Documentation that the patient is Hispanic/Latino/Spanish	Hispanic Indicator	Y,N	Character	1	Yes
<pre><episode-of-care> sub-element of the patient element</episode-of-care></pre>	Opening tag for episode of care	Example with data: <episode-of-care measure-set="MAT-4"></episode-of-care>					
	measure-set	The code for the measure set submitted.	Measure set	MAT-4 NEWB-1 CCM	Character	22	Yes
<admit-date> sub-element of the episode-of-care element</admit-date>	measure-set						
	None	The month, day, and year of admission for inpatient care	Admission Date	MM-DD-YYYY (Must be a valid date and cannot equal UTD)	Date	10	Yes
<pre><discharge-date> sub-element of the episode-of-care element</discharge-date></pre>	Example with data: <discharge-date>04-06-2</discharge-date>	a closing tag that is the same as the opening tag but with a forward slash.					
	None	The month, day, and year the patient was discharged from acute care, left against medical advice, or expired during this stay.	Discharge Date	MM-DD-YYYY (Must be a valid date and cannot equal UTD)	Date	10	Yes
<pthic> sub-element of the episode-of-care element</pthic>	Each element must have Example with data: <pthic>123456789A<td>a closing tag that is the same as the opening tag but with a forward slash.</td><td></td><td></td><td>1</td><td></td><td></td></pthic>	a closing tag that is the same as the opening tag but with a forward slash.			1		
	None	HIC# of the patient The patient's Medicare health insurance claim number.	Patient HIC#	No embedded dashes or spaces or special characters Must have both alpha and numeric characters Alpha characters Head that characters must be upper case Length cannot be more than 12 or less than 7 characters For alphanumeric, do not allow all numeric values to be 9's. For example, do not allow 1 alpha + 999999999, etc.	Character	7-12	No

XML Element	Attributes	Description	Data Element	Valid Values	Data Types	Field Size	Data Required (MassHealth)
<vendor-tracking-id> sub-element of the episode-of-care element</vendor-tracking-id>	Example with data:	a closing tag that is the same as the opening tag but with a forward slash. 3456789012					,
	None	Used by the vendor to identify the episode of care	Vendor Tracking ID	Up to 100 characters	Character	Up to 100	No
<pre><patient-id> sub-element of the episode-of-care element</patient-id></pre>	Example with data:	a closing tag that is the same as the opening tag but with a forward slash. 4185296385	,	100		21	
	None	Identifier used to identify the patient at the hospital	Patient Identifier	Up to 40 characters	Character	Up to 40	Yes
<detail> sub-element of the episode-of-care element</detail>	Attributes describe the ele Example of Yes/No ques For discharges 4/1/2007 a detail answer-code="Y" Example of multiple cho detail answer-code="3" Example of a user-enter	row-number="0" question-cd="ASPRNRXDIS"> sice question (refer to Table A for valid answer codes): row-number="0" question-cd="ANTIBIRCVD">					
	answer-code	ID number of the answer	Not a data element itself; each possible answer has its own unique ID	Refer to Table A for valid values	Character	20	Yes
	question-cd	The field name of the question	Not a data element itself; each data element is a question code	Refer to Table A for valid values	Character	20	Yes
	row-number	Used to group answers together for multi-row, multi-column answers	Not a data element itself; used for grouping answers only	0-75 Depending on the number of rows allowed per question. i.e. Antibiotic Name, Date, Time and Route would have rownumber 0 for the first antibiotic, 1 for the second antibiotic, and so on.	Integer	2	Yes Default to 0. For mulitiple answer options, add 1 to the row number for each additional answer
<answer-value> Sub-element of detail</answer-value>	The answer value Example: <answer- value="">No</answer->	The description of the answer-code	Not a data element itself; each answer has a value	Place the answer text here. Examples: Yes No Male Female 01-01-2006 Note: All Dates in this field should be formatted as MM-DD-	Character	2000	No

XML Element	Attributes	Description	Data Element	Valid Values	Data Types	Field Size	Data Required (MassHealth)
	Closing tag for detail	Note: This tag is required in the XML document. However, it contains no data.					
	Closing tag for episode of care	Note: This tag is required in the XML document. However, it contains no data.					
	Closing tag for patient	Note: This tag is required in the XML document. However, it contains no data.					
	Closing tag for provider	Note: This tag is required in the XML document. However, it contains no data.					
	Closing tag for submission	Note: This tag is required in the XML document. However, it contains no data.					

Retired Elements Effective (v12.0)									
sub-element of the patient		a closing tag that is the same as the opening tag but with a forward slash.							
		The postal code of the patient's residence. For USA zip codes, the hyphen is implied. If the patient is determined to not have a permanent residence, then the patient is considered homeless.		(5 or 9 digit without hyphen, "HOMELESS", or Non-US)	Character	9 Yes			

Element Name	QUESTION/ Field Name	Data Type	Length	Occurrence	Answer Code	Answer Value	Applicable Measure(s)
Admission to the NICU	Was the newborn admitted to the				italization?		
	ADMNICU	Alpha	1	1	Υ	Yes	NEWB-1
					N	No	
Advance Care Plan	Does the Transition Record inclu	Ide documentation of a	n Advance Ca	re Plan?			
Advance Gare Flam	ADVCAREPLN	Alpha	1	1	Ιγ	Yes	CCM-2
	7.5 7 57 11.2.1	7.101.0			N	No	
Contact Information 24 hrs/ 7 days	Does the Transition Record inclu	ide 24 hr/ 7 day Contac	ct Information	for questions,	concerns, or emergencies rela	ated to the inpatient stay?	
	CONTINFOHRDY	Alpha	1	1	Υ	Yes	CCM-2
					N	No	
Contact Information for Studies Pending at					dies pending at discharge or de	ocumentation that there were no studies pendir	<u> </u>
Discharge	CONTINFOSTPEND	Alpha	1	1	Υ	Yes	CCM-2
					N	No	
			<u> </u>				
Current Medication List	Does the Transition Record inclu			1	no medications?	The state of the s	loous
	MEDLIST	Alpha	1	1	Y	Yes	CCM-2
					N	No	
Discharge Diagnosis	Does the Transition Record inclu	ide the Discharge Diag	nocic?				
Discharge Diagnosis	PRINDXDC	Alpha	1	1	Ιγ	Yes	CCM-2
	TAMENEO	7 tipriu			N N	No	
Discharge Disposition	What was the patient's discharge	e disposition on the day	of discharge	?			
	DISCHGDISP	Alpha	1	1	1	Home	All Records
					2	Hospice - Home	
					3	Hospice - Health Care Facility	
					4	Acute Care Facility	
					5	Other Health Care Facility	
					6	Expired	
					7	Left Against Medical Advice/AMA	
					8	Not Documented or Unable to Determin	е
						(UTD)	
Exclusive Breast Milk Feeding	Is there documentation that the r	nowborn was evelve a	ly fod broost n	nilk during the	antiro hospitalization?		
Exclusive Dreast Wilk Feeding	EXBRSTFD		1 1	1 1	v entire nospitalization?	Yes	NEWB-1
	EVDUSILD	Alpha	'	'	N	No No	INE VV D- 1
					14	140	
Gestational Age	How many weeks of gestation w	ere completed at the tir	me of delivery	?			
	GESTAGE	Alpha	3	1	In completed weeks; do not round up.	In completed weeks; do not round up. Two digit number with no leading zero or	MAT-4
					Two digit number with no leading zero or "UTD".	"UTD".	

Element Name	QUESTION/ Field Name	Data Type	Length	Occurrence	Answer Code	Answer Value	Applicable Measure(s)
ICD-10-CM Other Diagnosis Codes	What were the ICD-10-CM other	diagnosis codes selec	ted for this me	edical record?			
Ü	OTHRDX#	Character	3-7	24	ICD-10-CM Diagnosis code, without decimal point or dot, upper or lower case	ICD-10-CM Diagnosis code, without decimal point or dot. Allows up to 24 rows	All Records with more than one Diagnosis Code
ICD-10-PCS Other Procedure Codes	What were the ICD-10-PCS cod	e(s) selected as other i	procedure(s) f	or this record	?		
	OTHRPX#	Character	3-7	24	ICD-10-PCS Procedure code. without decimal point or dot, upper or lower case	ICD-10-PCSProcedure code,without decimal point or dot Allows up to 24 rows	All Records with more than one Procedure Code
ICD-10-PCS Other Procedure Dates	What were the date(s) the other	procedure(s) were per	formed?				
	OTHRPX#DT	Date	10	24	User Entered (MM-DD-YYYY)	User Entered (MM-DD-YYYY). Allows up to 24 rows	All Records with more than one Procedure Code
ICD-10-CM Principal Diagnosis Code	What was the ICD-10-CM code	selected as the principa	al diagnosis fo	r this record?			
	PRINDX	Character	3-7		ICD-10-CM Diagnosis code, without decimal point or dot , upper or lower case	ICD-10-CM Diagnosis code, without decimal point or dot	All Records
ICD-10-PCS Principal Procedure Code	What was the ICD-10-PCS code	selected as the princip	al procedure	for this record	l?		
	PRINPX	Character	3-7		ICD-10-PCS Procedure code without decimal point or dot, upper or lower case	ICD-10-PCS Procedure code, without decimal point or dot	All records with a principal procedure
IOD 40 DOC Drive in all Dresse done Date	Mhat was the data the principal						
ICD-10-PCS Principal Procedure Date	What was the date the principal	· .	•		lu =	III 5	Tan
	PRINPXDATE	Date	10	1	User Entered (MM- DD-YYYY)	User Entered (MM-DD-YYYY). All records with a principal procedure	All records with a principal procedure
MassHealth Member ID	What is the patient's MassHealth	Member ID?					
	MHRIDNO	Alpha	20	1	All alpha characters must be upper case	All alpha characters must be upper case	All Records
MedicalProcedures and Tests	Does the Transition Record inclu			, ` ′	ımmary of Results?	To a	T
	PROCTEST	Alpha	1	1	Y N	Yes No	CCM-2
Number of Previous Live Births	How many deliveries resulting in	a live birth did the patie	ent experience	prior to curre	ent hospitalization?		
	NUMPLB	Numeric	2 or UTD	1	0-50, UTD	0-50, UTD	MAT- 4

Element Name	QUESTION/ Field Name	Data Type	Length	Occurrence	Answer Code	Answer Value	Applicable Measure(s)																		
Patient Instructions	Does the Transition Record inclu	ude Patient Instructions	?																						
	PATINSTR	Alpha	1	1	Υ	Yes	CCM-2																		
					N	No																			
Payer Source	What is the patient's primary so	I urce of Medicaid payme	ent for care pro	ovided?																					
	PMTSRCE	Alpha	3	1	103	Medicaid: Includes MassHealth FFS and	All Records																		
						MassHealth Limited																			
					104	Medicaid: Primary Care Clinician (PCC) Plan																			
					208	Medicaid Managed Care – Boston Medical																			
						Center HealthNet Plan																			
			116, 274	Medicaid Managed Care – Tufts Health																					
						Together Plan																			
					<u>118</u>	Medicaid Mental Health & Substance																			
						Abuse Plan - Mass Behavioral Health																			
						<u>Partnership</u>																			
					119	Medicaid Managed Care - Other (not listed																			
						elsewhere)																			
					312	Medicaid: Fallon 365 Care (ACO)																			
					313	Medicaid: Be Healthy Partnership with Health																			
						New England (ACO)																			
					314	Medicaid: Berkshire Fallon Health																			
						Collaborative (ACO)																			
					315	Medicaid: BMC HealthNet Plan Community																			
						Alliance (ACO)																			
																							316	Medicaid: BMC HealthNet Plan Mercy Alliance (ACO)	
																		317	Medicaid: BMC HealthNet Plan Signature Alliance (ACO)						
					318	Medicaid: BMC HealthNet Plan Southcoast																			
					321	Alliance (ACO) Medicaid: My Care Family with Allways																			
		1			J <u>L</u> I	Health Partners (ACO)																			
		1			324	Medicaid: Tufts Health Together with Atrius																			
		1			027	Health (ACO)																			
					325	Medicaid: Tufts Health Together with BIDCO (ACO)																			
					326	Medicaid: Tufts Health Together with Boston Children's (ACO)																			
					327	Medicaid: Tufts Health Together with CHA	=																		
		1			328	(ACO) Medicaid: Wellforce Care Plan (ACO)	-																		
						, ,	4																		
					320	Medicaid: Community Care Cooperative (ACO)																			
																		322	Medicaid: Partners Healthcare Choice (ACO)						
					323	Medicaid: Steward Health Choice (ACO)																			
					311	Medicaid: Other ACO	1																		

Element Name	QUESTION/ Field Name	Data Type	Length	Occurrence	Answer Code	Answer Value	Applicable Measure(s)
lan for Follow Up Care	Does the Transition Record inclu	de a Plan for Follow-U	Jp Care related	to inpatient	stay OR documentation by	a physician of no follow-up care required OR patie	ent is a transfer to another site of care?
	PLANFUP	Alpha	1	1	Υ	Yes	CCM-2
					N	No	
imary Physician / Health Care Professional	Does the Transition Record inclu	de the name of the Pr	imary Physicia	n or other He	alth Care Professional or s	ite designated for follow-up care?	•
r Follow Up Care	PPFUP	Alpha	1	1	Υ	Yes	CCM-2
					N	No	
ovider Name	What is the name of the provider	of acute care inpatier	nt services?				
	PROVNAME	Alpha	60	1 1	User Entered	User Entered	All Records
		7 17 112					
ace	What is the patient's self-reporte	d race?					
	MHRACE	Alpha	2-6	1	R1	American Indian or Alaska Native	All Records
	IVII II CAOL	Λίμια	2-0	'	R2	Asian Asian	All Necolus
					R3	Black/African American	
					R4		
						Native Hawaiian or Pacific Islander	
					R5	White	
					R9	Other Race	
					UNKNOW	Unknown	
eason for Inpatient Admission	Does the Transition Record inclu	de the Reason for Inp	atient Admission	on?		·	•
	INPTADMREAS	Alpha	1	1	Υ	Yes	CCM-2
					N	No	
econciled Medication List	Did the patient/caregiver receive	a copy of the reconcil	ed medication	list at the tim	e of discharge?		
	RECONMEDLIST	Alpha	1	1	Υ	Yes	CCM-1
		· ·			N	No	
udies Pending at Discharge	Does the Transition Record inclu	de documentation of S	I Studies Pendin	n at Dischard	l e or that no studies were r	ending?	
adioo i onanig at 210011a.go	STUDPENDDC	Alpha	1	1 1	Y	Yes	CCM-2
	0.05. 2.1050	/ upria	'		N	No	——————————————————————————————————————
					14	140	
erm Newborn	Is there documentation that the r	owhorn was at tarm a	r >= 37 compl	ated weeks a	f apptation at the time of hi	rth?	
CIII INGWUUII	TRMNB		1 1	1 1	yesialion at the time of bi	Yes	NEWB-1
	I MININD	Alpha	'	'	Y N		INE VV D- I
					IN	No	
ansition Record	Did the patient/ caregiver(s) or no				ecord at the time of discha	-	
	TRREC	Alpha	1	1	Υ	Yes	CCM-2
					N	No	
ransmission Date	What is the date documented in	he medical record that	t the Transition	n Record was	s transmitted?		
	TRDATE	Date	10	1	User Entered Date (MM-DD-YYYY or UTD)	User Entered Date (MM-DD-YYYY or UTD)	CCM-3

Appendix A-4: Table A for MassHealth Specific Measures (MAT 4, NEWB-1, and CCM 1, 2,3)

Element Name	QUESTION/ Field Name	Data Type	Length	Occurrence	Answer Code	Answer Value	Applicable Measure(s)	
		Retire	d Elen	nents	Effective (v12.	0)		
Born in this Facility	Was the newborn born in this fac							
Bom in this Facility	BORNFAC	Alpha	1	1	lv	Yes	NEWB-2	
	BORNI AC	Лірпа	'	'	N	No	- INEWB-2	
						140		
Comfort Measures Only	Is there documentation for comfo	ort measures only?						
,	CMO	Alpha	1	1	Υ	Yes	NEWB-2	
		, .			N	No	╡	
DVT Prophylaxis for Cesarean Delivery	Was DVT prophylaxis administe	ed to the patient prior	to Cesarean c	delivery?				
	DVTP	Alpha	1	1	Υ	Yes	MAT-5	
					N	No	7	
Ethnicity	What is the patient's self-reporte	d ethnicity?						
	ETHNICCODE	Alpha	6	1	Alpha 6 characters or numeric is 5 numbers with a	Alpha 6 characters or numeric is 5 numbers with a hyphen after the 4th number (####-#)	All Records	
					hyphen after the 4th number (####-#) (see Table B)	(see Table B)		
					Tisee Table Bi			
Hospital Bill Number	What is the patient's hospital bill	number?				-		
	HOSPBILL#	Alpha	20	1	Hospital internal billing	Hospital internal billing number.	All Records	
					number. This is a required field.	This is a required field.		
Nove to a piliting the Consequence	la the sea de sum estation the infer			a biliandria a an				
Newborn Bilirubin Screening	Is there documentation the infant received a serum or transcutaneous bilirubin screen prior to discharge? BILISCRN Alpha 1 1 1 1 1-Yes NEWB-2							
	BILISCRN Alpha		'	1	2	2- Parental Refusal	NEVVD-2	
					3	3- No or UTD	-	
					3	3- 140 01 01 0		
Sample	Does this case represent part of	a sample?						
Cap.o	SAMPLE	Alpha	1	1	Υ	Yes	Required minimum demographic- All	
					N	No	Records	
		Dot	irod Ela	monto I	Effective (v11.0)			
Lohor	le there decomposition but the all				, ,			
Labor	Is there documentation by the cli ACTLABOR	Alpha	was in labor <u>pi</u> 1	rior to induction	v saru/or cesarean pirtn?	Yes	MAT-3	
	ACTEABOR	Аірпа	'	'	Y N	r es No	IND 1-3	
					IV .	140		
Prior Uterine Surgery	Is there documentation that the	atient had undergone	prior uterine s	urgery?				
Storing dargory	PRIORUTSURG	Alpha	1	1 1	Υ	Yes	MAT-3	
		, upria			N	No		
		Rat	ired Fla	ments l	Effective (v10.0)			
Clinical Trial	During this hospital stay was the					measure set were being studied?		
Omnoa IIIai	CLNCLTRIAL	Alpha	1	1	Y	Yes	MAT-3, MAT-4, MAT-5,. NEWB-1, NEWB	
	CENCETRIAL	7 Ipria		'	N		With S, With 1-4, With 1-5,. NEW D-1, NEW D-	
					N	No		

Question	Field Name	Valid Values	Value Descriptions
MH Race	MHRACE	R1	American Indian or Alaska Native
		R2	Asian
		R3	Black/African American
		R4	Native Hawaiian or Pacific Islander
		R5	White
		R9	Other Race
		UNKNOW	Unknown